ELSEVIER

European Journal of Pharmacology 277 (1995) 287–289

ejp

Author index

Abbott, F.V., see Hong, Y. (277) 21
Aburto, T., Jinsi, A., Zhu, QB. and Deth, R.C.
Involvement of protein kinase C activation in α_2-adrenoceptor-mediated contractions of rabbit saphenous vein (277) 35
Allison, K., Ivanová, S. and Greenshaw, A.J.
Behavioural response to SKF 38393 and quinpirole following chronic antidepressant treatment (277) 139
Alsasua, A., see Parra, L. (277) 99
Ansay, M., see Delaunois, A. (277) 243

Baird, A.J., see Grover, G.J. (277) 271
Balster, R.L., see Woodward, J.J. (277) 7
Berger, I., Gillis, R.A., Vitagliano, S., Panico, W.H., Magee, S., Kelly, M., Norman, W.P., McManigle, J.E. and DaSilva, A.M.T.
NMDA receptors are involved at the ventrolateral nucleus tractus solitarii for termination of inspiration (277) 195
Bergstrom, D.A., see Kreiss, D.S. (277) 209
Berzetei-Gurske, I.P., White, A., Polgar, W., DeCosta, B.R., Pasternak, G.W. and Toll, L.
The in vitro pharmacological characterization of naloxone benzoylhydrazone (277) 257
Bolser, D.C., DeGennaro, F.C., O'Reilly, S., Hey, J.A. and Chapman, R.W.
Pharmacological studies of allergic cough in the guinea pig (277) 159
Brotchie, J.M., see East, S.J. (277) 117
Buckett, W.R., see Heal, D.J. (277) 215
Butelman, E.R., Negus, S.S., Gatch, M.B., Chang, K.-J. and Woods, J.H.
BW373U86, a δ-opioid receptor agonist, reverses bradykinin-induced thermal allodynia in rhesus monkeys (277) 285
Butler, S.A., see Heal, D.J. (277) 215

Castañeda-Hernández, G., see Granados-Soto, V. (277) 281
Chad, J.E., see Stanford, I.M. (277) 229
Chang, K.-J., see Butelman, E.R. (277) 285
Chapman, R.W., see Bolser, D.C. (277) 159
Cheetham, S.C., see Heal, D.J. (277) 215
Ciccocioppo, R., see Polidori, C. (277) 223
Cirillo, R., see Polidori, C. (277) 223
Collins, K.A., see Tseng, L.F. (277) 251
Collins, K.A., see Tseng, L.F. (277) 71
Colpaert, F., see Tellez, S. (277) 113
Compton, D.M., see Woodward, J.J. (277) 7
Cools, A.R., see Miwa, Y. (277) 63

Danilov, A.F., Grigoriev, V.M., Prokhorenko, N.K. and Sherstobitov, O.E.
Alkylating derivative of hexadecamethonium protects muscle synaptic acetylcholinesterase against inhibition (277) 15
DaSilva, A.M.T., see Berger, I. (277) 195
DeCosta, B.R., see Berzetei-Gurske, I.P. (277) 257
DeGennaro, F.C., see Bolser, D.C. (277) 159
Delaunois, A., Gustin, P., Garbarg, M. and Ansay, M.
Modulation of acetylcholine, capsaicin and substance P effects by histamine H_3 receptors in isolated perfused rabbit lungs (277) 243
Deth, R.C., see Aburto, T. (277) 35
Deth, R.C., see Jinsi, A. (277) 29
Dzwonczyk, S., see Grover, G.J. (277) 271

East, S.J., Hill, M.P. and Brotchie, J.M.
Metabotropic glutamate receptor agonists inhibit endogenous glutamate release from rat striatal synaptosomes (277) 117

Flores-Murrieta, F.J., see Granados-Soto, V. (277) 281

Garbarg, M., see Delaunois, A. (277) 243
Gatch, M.B., see Butelman, E.R. (277) 285
Gillis, R.A., see Berger, I. (277) 195
Gnanalingham, K.K., Milkowski, N.A., Smith, L.A., Hunter, A.J., Jenner, P. and Marsden, C.D.
Short- and long-term changes in striatal and extrastriatal dopamine uptake sites in the MPTP-treated common marmoset (277) 235
Gonzalez, A.M., see Kreiss, D.S. (277) 209
Gosden, J., see Heal, D.J. (277) 215
Granados-Soto, V., Flores-Murrieta, F.J., Castañeda-Hernández, G. and López-Muñoz, F.J.
Evidence for the involvement of nitric oxide in the antinociceptive effect of ketorolac (277) 281
Greenshaw, A.J., see Allison, K. (277) 139
Grigoriev, V.M., see Danilov, A.F. (277) 15
Grover, G.J., Murray, H.N., Baird, A.J. and Dzwonczyk, S.
The K_{ATP} blocker sodium 5-hydroxydecanoate does not abolish preconditioning in isolated rat hearts (277) 271
Guaza, C., see Sandi, C. (277) 89
Guilbaud, G., see Keïta, H. (277) 275
Gustin, P., see Delaunois, A. (277) 243

Hayakawa, H., see Koumi, S.-i. (277) 165
Heal, D.J., Cheetham, S.C., Butler, S.A., Gosden, J., Prow, M.R. and Buckett, W.R.
Receptor binding and functional evidence suggest that postsynaptic α_2-adrenoceptors in rat brain are of the α_{2D} subtype (277) 215
Hey, J.A., see Bolser, D.C. (277) 159
Hill, M.P., see East, S.J. (277) 117
Hirose, H., Ide, K., Sasaki, T., Takahashi, R., Kobayashi, M., Ikemoto, F., Yano, M. and Nishikibe, M.
The role of endothelin and nitric oxide in modulation of normal and spastic cerebral vascular tone in the dog (277) 77
Hong, E., see Villalobos-Molina, R. (277) 181
Hong, Y. and Abbott, F.V.
Peripheral opioid modulation of pain and inflammation in the formalin test (277) 21
Huang, K.-X., see Kreiss, D.S. (277) 209
Hunter, A.J., see Gnanalingham, K.K. (277) 235

Ibarra, M., see Villalobos-Molina, R. (277) 181
Ide, K., see Hirose, H. (277) 77
Ikemoto, F., see Hirose, H. (277) 77
Itagaki, M., see Komori, S. (277) 173
Ivanová, S., see Allison, K. (277) 139
Izumi, F., see Mizuki, T. (277) 133

Jenner, P., see Gnanalingham, K.K. (277) 235
Jinsi, A. and Deth, R.C.
α_2-Adrenoceptor-mediated vasoconstriction requires a tyrosine kinase (277) 29
Jinsi, A., see Aburto, T. (277) 35

Kayser, V., see Keïta, H. (277) 275
Keïta, H., Kayser, V. and Guilbaud, G.
Antinociceptive effect of a κ-opioid receptor agonist that minimally crosses the blood-brain barrier (ICI 204448) in a rat model of mononeuropathy (277) 275
Kelly, M., see Berger, I. (277) 195
Kennedy, C., see McLaren, G.J. (277) 57
Kobayashi, H., see Mizuki, T. (277) 133
Kobayashi, M., see Hirose, H. (277) 77
Kobayashi, M., see Miwa, Y. (277) 63
Komori, S., Itagaki, M., Unno, T. and Ohashi, H.
Caffeine and carbachol act on common Ca^{2+} stores to release Ca^{2+} in guinea-pig ileal smooth muscle (277) 173
Koshida, Y., see Miwa, Y. (277) 63
Koshikawa, N., see Miwa, Y. (277) 63
Koumi, S.-i., Sato, R. and Hayakawa, H.
The activation gate of cardiac Na^+ channel modulates voltage- and pH-dependent unbinding of disopyramide (277) 165
Kreiss, D.S., Bergstrom, D.A., Gonzalez, A.M., Huang, K.-X., Sibley, D.R. and Walters, J.R.
Dopamine receptor agonist potencies for inhibition of cell firing correlate with dopamine D_3 receptor binding affinities (277) 209
Kuroiwa, A., see Mizuki, T. (277) 133

Lamarque, D. and Whittle, B.J.R.
Role of oxygen-derived metabolites in the rat gastric mucosal injury induced by nitric oxide donors (277) 187
László, F. and Whittle, B.J.R.
Colonic microvascular integrity in acute endotoxaemia: interactions between constitutive nitric oxide and 5-lipoxygenase products (277) R1
López-Muñoz, F.J., see Granados-Soto, V. (277) 281
Lucion, A.B., see Padoin, M.J. (277) 1
Ludbrook, J., see Ventura, S. (277) 265

Magee, S., see Berger, I. (277) 195
Marien, M., see Tellez, S. (277) 113
Marsden, C.D., see Gnanalingham, K.K. (277) 235
Martin, B.R., see Woodward, J.J. (277) 7
Martín, M.I., see Parra, L. (277) 99
Massi, M., see Polidori, C. (277) 223
McLaren, G.J., Kennedy, C. and Sneddon, P.
The effects of suramin on purinergic and noradrenergic neurotransmission in the rat isolated tail artery (277) 57
McManigle, J.E., see Berger, I. (277) 195
Mellemkjær, S. and Nielsen-Kudsk, J.E.
Effects of levcromakalim and glibenclamide on paced guinea-pig atrial strips exposed to hypoxia (277) 51
Milkowski, N.A., see Gnanalingham, K.K. (277) 235
Miwa, Y., Koshikawa, N., Miyata, N., Koshida, Y., Kobayashi, M. and Cools, A.R.
YM-14673, a thyrotropin-releasing hormone analogue, injected into the nucleus accumbens and the striatum produces repetitive jaw movements in rats (277) 63
Miyata, N., see Miwa, Y. (277) 63
Mizuki, T., Kobayashi, H., Nakashima, Y., Kuroiwa, A. and Izumi, F.
Effect of lidocaine on α_1-adrenoceptors in cultured neonatal rat cardiocytes (277) 133
Murray, H.N., see Grover, G.J. (277) 271

Nakashima, Y., see Mizuki, T. (277) 133
Negrev, N., Nyagolov, Y. and Stanchewa, E.
Somatotropin and somatostatin effects on vitamin K-dependent plasma coagulation factors (277) 145
Negus, S.S., see Butelman, E.R. (277) 285
Nielsen-Kudsk, J.E., see Mellemkjær, S. (277) 51
Nishikibe, M., see Hirose, H. (277) 77
Norman, W.P., see Berger, I. (277) 195
Nyagolov, Y., see Negrev, N. (277) 145

Ohashi, H., see Komori, S. (277) 173
Ohkubo, T. and Shibata, M.
ATP-sensitive K^+ channels mediate regulation of substance P release via the prejunctional histamine H_3 receptor (277) 45
O'Reilly, S., see Bolser, D.C. (277) 159
Oyekan, A.O.
The suppression by lipopolysaccharide of cytochrome P450-dependent renal vasodilation in the rat is mediated by nitric oxide (277) 123

Padoin, M.J. and Lucion, A.B.
The effect of testosterone and DOI (1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane) on male sexual behavior of rats (277) 1
Panico, W.H., see Berger, I. (277) 195
Parra, L., Pérez-Vizcaíno, F., Alsasua, A., Martín, M.I. and Tamargo, J.
μ- and δ-opioid receptor-mediated contractile effects on rat aortic vascular smooth muscle (277) 99
Pasternak, G.W., see Berzetei-Gurske, I.P. (277) 257
Pérez-Vizcaíno, F., see Parra, L. (277) 99
Polgar, W., see Berzetei-Gurske, I.P. (277) 257
Polidori, C., Ciccocioppo, R., Pompei, P., Cirillo, R. and Massi, M.
The selective angiotensin AT_1 receptor antagonist LR-B/081 potently inhibits drinking induced by central injection of angiotensin II in rats (277) 223
Pompei, P., see Polidori, C. (277) 223
Portoghese, P.S., see Tseng, L.F. (277) 251
Prokhorenko, N.K., see Danilov, A.F. (277) 15
Prow, M.R., see Heal, D.J. (277) 215

Sandi, C., Venero, C. and Guaza, C.
Decreased spontaneous motor activity and startle response in nitric oxide synthase inhibitor-treated rats (277) 89
Sasaki, T., see Hirose, H. (277) 77
Sato, R., see Koumi, S.-i. (277) 165
Sherstobitov, O.E., see Danilov, A.F. (277) 15
Shibata, M., see Ohkubo, T. (277) 45
Sibley, D.R., see Kreiss, D.S. (277) 209
Smith, L.A., see Gnanalingham, K.K. (277) 235
Sneddon, P., see McLaren, G.J. (277) 57
Stanchewa, E., see Negrev, N. (277) 145
Stanford, I.M., Wheal, H.V. and Chad, J.E.
Bicuculline enhances the late $GABA_B$ receptor-mediated paired-pulse inhibition observed in rat hippocampal slices (277) 229
Starr, B.S., see Starr, M.S. (277) 151
Starr, M.S. and Starr, B.S.
Motor actions of 7-OH-DPAT in normal and reserpine-treated mice suggest involvement of both dopamine D_2 and D_3 receptors (277) 151

Takahashi, R., see Hirose, H. (277) 77
Tamargo, J., see Parra, L. (277) 99
Tellez, S., Colpaert, F. and Marien, M.
The α_2-adrenoceptor antagonist, (+)-efaroxan, enhances acetylcholine release in the rat cortex in vivo (277) 113
Toll, L., see Berzetei-Gurske, I.P. (277) 257
Tsai, J.H.H., see Tseng, L.F. (277) 251
Tseng, L.F., Collins, K.A. and Wang, Q.
Differential ontogenesis of thermal and mechanical antinociception induced by morphine and β-endorphin (277) 71
Tseng, L.F., Tsai, J.H.H., Collins, K.A. and Portoghese, P.S.
Spinal δ_2-, but not δ_1-, μ-, or κ-opioid receptors are involved in the tail-flick inhibition induced by β-endorphin from nucleus raphe obscurus in the pentobarbital-anesthetized rat (277) 251

Unno, T., see Komori, S. (277) 173

Venero, C., see Sandi, C. (277) 89
Ventura, S. and Ludbrook, J.
N-Nitro-L-arginine methyl ester blocks the decompensatory phase of acute hypovolaemia in conscious rabbits by a brainstem mechanism (277) 265
Villalobos-Molina, R., Ibarra, M. and Hong, E.
The 5-HT_2 receptor antagonist, pelanserin, inhibits α_1-adrenoceptor-mediated vasoconstriction in vitro (277) 181
Vitagliano, S., see Berger, I. (277) 195

Walters, J.R., see Kreiss, D.S. (277) 209
Wang, Q., see Tseng, L.F. (277) 71
Wessinger, W.D.
Sexual dimorphic effects of chronic phencyclidine in rats (277) 107
Wheal, H.V., see Stanford, I.M. (277) 229
White, A., see Berzetei-Gurske, I.P. (277) 257
Whittle, B.J.R., see László, F. (277) R1
Whittle, B.J.R., see Lamarque, D. (277) 187
Woods, J.H., see Butelman, E.R. (277) 285
Woodward, J.J., Compton, D.M., Balster, R.L. and Martin, B.R.
In vitro and in vivo effects of cocaine and selected local anesthetics on the dopamine transporter (277) 7

Yano, M., see Hirose, H. (277) 77

Zhu, QB., see Aburto, T. (277) 35